ALASIM OMAR ARCHITECT
F-27-1, Block F, 1st Floor,
Royal Plaza Putatan, KM 11.2, Jalan Putatan,
88200, Kota Kinabalu, Sabah.
email : alasim.architect@gmail.com
Tel : 088 760 752 Fax : 088 761 752

Ruj KPKT : KPKT.600-3/88/1(41)
Ruj Kami: AoA/BBPut/msiron02
Tarikh: 20 Januari 2022

Kepada : **KEMENTERIAN PERUMAHAN DAN KERAJAAN TEMPATAN**
BAHAGIAN PEMBANGUNAN DAN PERLAKSANAAN PROJEK,
Aras 5-8, No.51,
Persiaran Perdana, Presint 4,
62100, Putrajaya.

U/P : **Ar. Wan Mohammad Norshah Abdul Satar**
Ketua Penolong Pengarah Unit Seni Bina

Tajuk : Tuan,
BALAI BOMBA DAN KUARTERS PUTATAN, SABAH
Perkara: **Material Resubmission - Ironmongery**

Merujuk kepada perkara di atas, bersama-sama ini kami kemukakan dokumen berikut untuk kelulusan pihak tuan.

Material : Ironmongery
Brand : Concorde (Ipmuda Architectural Products Sdn Bhd)
Dilampirkan sekali dokumen berikut:

1. Borang Kelulusan Bahan
2. Katalog
3. Sijil

Sila hubungi kami sekiranya tuan memerlukan penjelasan lebih lanjut.

Sekian dan terima kasih,
Yang benar,
ALASIM OMAR ARCHITECT

LEMBAGA ARKITEK MALAYSIA

Ar. IDr. Datu Alasim bin Datu Omar
LAM Reg. Number : A/D 17
LAM Reg. Number : ID/D 17
Mobile : +6 013 - 39 75752

cc : - *Kementerian Perumahan dan Kerajaan Tempatan*
KPPK / KPKT / Wilayah 6
- *MTR Engineering Sdn. Bhd.*

BORANG KELULUSAN BAHAN/PEMERIKSAAN MOCK-UP

Note: *Potong mana yg tidak berkenaan.

PROJEK: MEMBINA BALAI BOMBA DAN KUARTERS PUTATAN, SABAH. No. Kontrak : KPKT/BPEMB/JBPM/6/14/2021_____		**Kontraktor :** MTR ENGINEERING SDN.BHD.	
BUTIRAN KERJA KELULUSAN BAHAN/MOCK-UP/ DESKRIPSI ITEM SAMPEL: * IRONMONGERY		**Lokasi Mock-up/ Bahan/Kerja :** Kuala Lumpur	**Tarikh :** 10/12/2021
Model: **Kod Item:**	**Pengilang:** CONCORDE	**Negara.Asa:** MALAYSIA	**Pengedar Tempatan :** IPMUDA BUILDERMART SDN BHD

PERAKUAN PERUNDING (ARKITEK) (*Jika projek R&B*):

Saya dengan ini mengesahkan bahawa cadangan bahan/peralatan/*mock-up* adalah mematuhi kehendak spesifikasi dan berfungsi seperti kehendak kontrak.

Disertakan

Katalog [√] Lukisan [ ] Sampel Bahan [ ] Spesifikasi [ ] Sijil [√]

Sampel kerja [ ] *Mock-up* [ ]

Tandatangan Perunding Arkitek* LEMBAGA ARKITEK MALAYSIA Ar. Datu Alasim Datu Omar ARKITEK No. Pendaftaran LAM : A/D 17	**Jawatan/Cap Rasmi :** ALASIM OMAR ARCHITECT * LAM A/D 17 *
Nama :	Tarikh :

PERAKUAN KONTRAKTOR:

Saya dengan ini berjanji akan mematuhi kehendak CPP/Perunding* dan memastikan *bahan/peralatan/mock up/kerja yang dicadangkan mengikut spesifikasi dan berfungsi seperti di dalam kontrak.

Tandatangan Waki/Kontraktor	**Jawatan/Cap Rasmi** Pengurus pembinaan
Nama : **Sufian Bin Sutresno**	Tarikh : **10/12/2021**

KEPUTUSAN ~~JKR~~ CPP:

Dipersetujui (*concurred*) [ ]

Walaupun perkara di atas telah dipersetujui, adalah menjadi tanggungjawab kontraktor bagi memastikan *bahan/peralatan/mock up/kerja mematuhi kehendak spesifikasi dan berfungsi seperti yang telah dinyatakan di dalam kontrak.

Ditolak dan perlu kemukakan semula [ ]


Tandatangan KUR*(Arkitek/M&E/C&S)/Wakil PP	Jawatan/Cap Rasmi
Nama :	Tarikh

*Nota: Potong mana yang tidak berkenaan.

CONCORDE



Product Catalogue



Code	Description
KD / Keyed-Different	Where the same key operates two or more cylinders. The keyed alike system gives the advantage of one-key convenience in houses and commercial premises.
KA / Keyed-Alike	The key will only operate that particular cylinder.
MK / Master Key	A number of cylinders in a group can be operated by one "master key" whilst at the same time can also be operated by individual keys. The master keying system is useful in applications such as motels, hotels, and office blocks amongst others.
GMK / Grand Master Key	An extension of a master key system, where a grand master key will operate a number of master key systems. For use in multi-level buildings that have a master key system for each floor or department.
CK / Construction Keyed	A construction keyed cylinder provides builders and contractors with access to a building during its construction stage via a "construction key". This system works in conjunction with a "servant key" i.e. the owner's key. Once the servant key is used in the lock, the construction key can no longer operate the cylinder. The servant key is therefore used at the completion of the job disenabling access of construction key holders (builders/contractors) to the building without the need to replace or rekey the cylinders.



CONTENTS

Level Handle	3
Cylindrical Knobset	9
Tubular Knobset	9
Tubular Leverset Series	10
Deadbolt Series	13
One Sided Thumbturn	13
Lever Handle on Plate Series	14
Mortise Lockcase	16
Mortise Hock Lock	17
Euro Profile Cylinder	17



ACCESORIES

Hinges	20
Flush Pull	22
Rebated Part	23
Wall & Floor Stopper	23
Thumbtum Indicator/ Indicator Bolt	27
Flush Bolt	28
Dust Socket	29
Pull Handle c/w plate	30
Sign Plate/ Push Plate	31
Door Guard	31
Cup Handle/ Flush Pull Ring	32
Door Selector	33
Door Closer	34
Security Door Chain, Ball Catch	36
Door Viewer	37
Panic Door device	37
Sliding Door System	38
Sliding Door Accessories	39

GLASSING FITTINGS

Patch Fitting	41
Floor Hinge	45
Accessories - Pull Handle	46

SHOWER HARDWARE

Shower Hinges	50
Shower Pull Handle	53
Mortise Lockage	54
Lock Function	55

LEVER HANDLE

Stainless Steel Tube Lever Handle Series



B11-001
STAINLESS STEEL TUBE LEVER HANDLE

Material	Ø	L	H	Finish
SUS304	16mm 19mm 22mm	135mm 140mm 145mm	55mm 60mm 65mm	SS / PSS / PVD / AB / AC



B11-003
STAINLESS STEEL TUBE LEVER HANDLE

Material	Ø	L	H	Finish
SUS304	16mm 19mm 22mm	135mm 135mm 140mm	55mm 60mm 65mm	SS / PSS / PVD / AB / AC



B11-004
STAINLESS STEEL TUBE LEVER HANDLE

Material	Ø	L	H	Finish
SUS304	16mm 19mm 22mm	130mm 135mm 140mm	55mm 60mm 65mm	SS / PSS / PVD / AB / AC



B11-008
STAINLESS STEEL TUBE LEVER HANDLE

Material	Ø	L	H	Finish
SUS304	16mm 19mm 22mm	135mm 140mm 145mm	55mm 60mm 65mm	SS / PSS / PVD / AB / AC



B11-010
STAINLESS STEEL TUBE LEVER HANDLE

Material	Ø	L	H	Finish
SUS304	16mm 19mm 22mm	130mm 135mm 140mm	60mm 65mm 70mm	SS / PSS / PVD / AB / AC



B11-016
STAINLESS STEEL TUBE LEVER HANDLE

Material	Ø	L	H	Finish
SUS304	16mm 19mm 22mm	135mm 140mm 145mm	55mm 60mm 65mm	SS / PSS / PVD / AB / AC



B11-053
STAINLESS STEEL TUBE LEVER HANDLE

Material	Finish
SUS304	SS / PSS / PVD / AB / AC



B11-075
STAINLESS STEEL TUBE LEVER HANDLE

Material	Finish
SUS304	SS / PSS / PVD / AB / AC

LEVER HANDLE

Stainless Steel Tube Lever Handle Series



KF-039
STAINLESS STEEL TUBE LEVER HANDLE

Material	Finish
SUS304	SS / PSS / PVD / AB / AC



KF-046
STAINLESS STEEL TUBE LEVER HANDLE

Material	Finish
SUS304	SS / PSS / PVD / AB / AC



KF-051
STAINLESS STEEL TUBE LEVER HANDLE

Material	Finish
SUS304	SS / PSS / PVD / AB / AC



TLH00010
STAINLESS STEEL TUBE LEVER HANDLE

Material	Finish
SUS304	SS / PSS / PVD / AB / AC



TLH00013
STAINLESS STEEL TUBE LEVER HANDLE

Material	Finish
SUS304	SS / PSS / PVD / AB / AC



TLH00014
STAINLESS STEEL TUBE LEVER HANDLE

Material	Finish
SUS304	SS / PSS / PVD / AB / AC



TLH00015
STAINLESS STEEL TUBE LEVER HANDLE

Material	Finish
SUS304	SS / PSS / PVD / AB / AC




TLH00016
STAINLESS STEEL TUBE LEVER HANDLE

Material	Finish
SUS304	SS / PSS / PVD / AB / AC


LEVER HANDLE

Stainless Steel Solid Lever Handle Series





B01-001
STAINLESS STEEL SOLID LEVER HANDLE

Material	Finish
SUS304	SS / PSS





B01-008
STAINLESS STEEL SOLID LEVER HANDLE

Material	Finish
SUS304	SS / PSS





B01-014
STAINLESS STEEL SOLID LEVER HANDLE

Material	Finish
SUS304	SS / PSS





B01-026
STAINLESS STEEL SOLID LEVER HANDLE

Material	Finish
SUS304	SS / PSS





B01-031
STAINLESS STEEL SOLID LEVER HANDLE

Material	Finish
SUS304	SS / PSS





B01-042
STAINLESS STEEL SOLID LEVER HANDLE

Material	Finish
SUS304	SS / PSS




B01-045
STAINLESS STEEL SOLID LEVER HANDLE

Material	Finish
SUS304	SS / PSS




B01-050
STAINLESS STEEL SOLID LEVER HANDLE

Material	Finish
SUS304	SS / PSS

LEVER HANDLE

Stainless Steel Solid Lever Handle Series



B01-052
STAINLESS STEEL SOLID LEVER HANDLE

Material	Finish
SUS304	SS / PSS




B01-059
STAINLESS STEEL SOLID LEVER HANDLE

Material	Finish
SUS304	SS / PSS



B01-070
STAINLESS STEEL SOLID LEVER HANDLE

Material	Finish
SUS304	SS / PSS



B01-080
STAINLESS STEEL SOLID LEVER HANDLE

Material	Finish
SUS304	SS / PSS



SLH0008
STAINLESS STEEL SOLID LEVER HANDLE

Material	Finish
SUS304	SS / PSS



SLH0009
STAINLESS STEEL SOLID LEVER HANDLE

Material	Finish
SUS304	SS / PSS



SLH0010
STAINLESS STEEL SOLID LEVER HANDLE

Material	Finish
SUS304	SS / PSS




SLH0014
STAINLESS STEEL SOLID LEVER HANDLE

Material	Finish
SUS304	SS / PSS


LEVER HANDLE

Brass Lever Handle Series




B21-006
BRASS TUBE LEVER HANDLE

Material	Finish
Brass	SB / PVD / CP / PB





B21-014
BRASS TUBE LEVER HANDLE

Material	Finish
Brass	SB / PVD / CP / PB





B21-010
BRASS SOLID LEVER HANDLE

Material	Finish
Brass	SB / PVD / CP / PB





B21-019
BRASS SOLID LEVER HANDLE

Material	Finish
SUS304	SS / PSS





BSH0002
BRASS SOLID LEVER HANDLE

Material	Finish
Brass	SB / PVD / CP / PB





BSH0005
BRASS SOLID LEVER HANDLE

Material	Finish
Brass	SB / PVD / CP / PB




BSH0006
BRASS SOLID LEVER HANDLE

Material	Finish
Brass	SB / PVD / CP / PB





NSH0008
BRASS SOLID LEVER HANDLE

Material	Finish
SUS304	SS / PSS

LEVER HANDLE


Zinc Alloy Lever Handle Series





ZLH0001
ZINC ALLOY LEVER HANDLE


Material	Finish
Zinc alloy	SN / CP / AB / AC / PB





ZLH0002
ZINC ALLOY LEVER HANDLE


Material	Finish
Zinc alloy	SN / CP / AB / AC / PB





ZLH0003
ZINC ALLOY LEVER HANDLE


Material	Finish
Zinc alloy	SN / CP / AB / AC / PB





ZLH0004
ZINC ALLOY LEVER HANDLE


Material	Finish
Zinc alloy	SN / CP / AB / AC / PB





ZLH0005
ZINC ALLOY LEVER HANDLE


Material	Finish
Zinc alloy	SN / CP / AB / AC / PB





ZLH0006
ZINC ALLOY LEVER HANDLE


Material	Finish
Zinc alloy	SN / CP / AB / AC / PB





ZLH0007
ZINC ALLOY LEVER HANDLE

Material	Finish
Zinc alloy	SN / CP / AB / AC / PB





ZLH0008
ZINC ALLOY LEVER HANDLE

Material	Finish
Zinc alloy	SN / CP / AB / AC / PB

CYLINDRICAL KNOBSET



7007E
CYLINDRICAL KNOBSET (ENTRANCE FUNCTION)

Backset	Roset Size	Finish
60mm / 70mm	65mm / 75mm	SS / PSS / BP / AB / AC



7007B
CYLINDRICAL KNOBSET (PRIVACY FUNCTION)

Backset	Roset Size	Finish
60mm / 70mm	65mm / 75mm	SS / PSS / BP / AB / AC



7007P
CYLINDRICAL KNOBSET (PASSAGE FUNCTION)

Backset	Roset Size	Finish
60mm / 70mm	65mm / 75mm	SS / PSS / BP / AB / AC



TUBULAR KNOBSET



TUBULAR KNOBSET

Backset	Roset Size	Finish
60mm / 70mm	65mm / 75mm	SS / PSS / BP / AB / AC

TUBULAR LEVERSET SERIES



8606-ET
SATIN NICKEL ENTRANCE FUNCTION LEVERSET

Specification

- In Satin Nickel Finishes US15
- Material : Zinc Aloy
- Handing : Completely Reversible
- Backset : Adjustable Latch
- Standard Keying : Supplied individually keyed 5 pin with 3 keys per lock
- Special Keying : Can be keyed alike, master keyed, grand master keyed or construction keyed
- Tubular Lock type
- Function operation : Latch is operated by both levers except when inside thumb turn is activated to lock outside Levers. The Key opens (unlocks thumb turn) & unlocks both levers



8606-BK
SATIN NICKEL PRIVACY FUNCTION LEVERSET

Specification

- In Satin Nickel Finishes US15
- Material : Zinc Aloy
- Handing : Completely Reversible
- Backset : Adjustable Latch
- Standard Keying : Supplied individually keyed 5 pin with 3 keys per lock.
- Special Keying : Can be keyed alike, master keyed, grand master keyed or construction keyed
- Tubular Lock type
- Function operation : Thumb turn inside lever locks outside lever. In emergency, outside lever unlocked by coin or flat screw driver



8606-PS
SATIN NICKEL PASSAGE FUNCTION LEVERSET

Specification

- In Satin Nickel Finishes US15
- Material : Zinc Aloy
- Handing : Completely Reversible
- Backset : Adjustable Latch
- Standard Keying : Supplied individually keyed 5 pin with 3 keys per lock
- Special Keying : Can be keyed alike, master keyed, grand master keyed or construction keyed
- Tubular Lock type
- Function operation : For doors where no locking required. Opened by lever at all times



TUBULAR LEVERSET SERIES



KS3821
TUBULAR LEVERSET



KS6391
TUBULAR LEVERSET



KS6681
TUBULAR LEVERSET



KS6691
TUBULAR LEVERSET



KS9800
TUBULAR LEVERSET



KS9801
TUBULAR LEVERSET



KS9803
TUBULAR LEVERSET



KS9804
TUBULAR LEVERSET



KS9805
TUBULAR LEVERSET



KS9806
TUBULAR LEVERSET



KS9807
TUBULAR LEVERSET

Specification

- In Satin Nickel Finishes US15
- Material : Zinc Aloy
- Handing : Completely Reversible
- Backset : Adjustable Latch
- Standard Keying : Supplied individually keyed 5 pin with 3 keys per lock; brass cylinder
- Special Keying : Can be keyed alike, master keyed, grand master keyed or construction keyed
- Tubular Lock type
- Function operation : Latch is operated by both levers except when inside thumb turn is activated to lock outside Levers. The Key opens (unlocks thumb turn) & unlocks both levers

TUBULAR LEVERSET SERIES



KS9810
TUBULAR LEVERSET



KS9811
TUBULAR LEVERSET



KS9812
TUBULAR LEVERSET



KS9813
TUBULAR LEVERSET



KS9814
TUBULAR LEVERSET



KS9815
TUBULAR LEVERSET



KS9816
TUBULAR LEVERSET



KS9817
TUBULAR LEVERSET



KS9818
TUBULAR LEVERSET



KS9819
TUBULAR LEVERSET



KS9820
TUBULAR LEVERSET

Specification

- In Satin Nickel Finishes US15
- Material : Zinc Aloy
- Handing : Completely Reversible
- Backset : Adjustable Latch
- Standard Keying : Supplied individually keyed 5 pin with 3 keys per lock; brass cylinder
- Special Keying : Can be keyed alike, master keyed, grand master keyed or construction keyed
- Tubular Lock type
- Function operation : Latch is operated by both levers except when inside thumb turn is activated to lock outside Levers. The Key opens (unlocks thumb turn) & unlocks both levers

DEADBOLT SERIES



CD261
SINGLE CYLINDER DEADBOLT

Specification

- In Stainless Steel Finishes
- Materials are of Stainless Steel
- Handing : Non Handed
- Backset : 70mm, 60MM (adjustable)
- Finish : SS / PSS / BP / AC
- Function Operation : Outside : Locked or unlocked by key Inside : Locked or unlocked by thumb turn



D262
DOUBLE CYLINDER DEADBOLT

Specification

- In Stainless Steel Finishes
- Materials are of Stainless Steel
- Handing : Non Handed
- Backset : 70mm, 60MM (adjustable)
- Finish : SS / PSS / BP / AC
- Function Operation : Outside : Locked or unlocked by key Inside : Locked or unlocked by key



DBL-0002
SINGLE CYLINDER DEADBOLT

Specification

- In Antique Brass Finishes
- Handing : Non Handed
- Backset : 70mm, 60MM (adjustable)
- Finish : AB
- Function Operation : Outside : Locked or unlocked by key Inside : Locked or unlocked by thumb turn



DBL-0001
DOUBLE CYLINDER DEADBOLT

Specification

- In Antique Brass Finishes
- Handing : Non Handed
- Backset : 70mm, 60MM (adjustable)
- Finish : AB
- Function Operation : Outside : Locked or unlocked by key Inside : Locked or unlocked by key

ONE SIDED THUMBTURN



ONE SIDED DEADBOLT

Specification

- In Antique Brass Finishes
- Handing : Non Handed
- Backset : 70mm, 60MM (adjustable)
- Finish : AB & SS
- Function Operation : Insude locked or unlocked by thumb turn, Outside none

LEVER HANDLE ON PLATE SERIES


Mortise Solid Lever handle on Plate



B02-001
STANINLESS STEEL SOLID LEVER HANDLE ON PLATE

Finish


SS / PSS / PVD



B02-002
STANINLESS STEEL SOLID LEVER HANDLE ON PLATE

Finish


SS / PSS / PVD



B02-003
STANINLESS STEEL SOLID LEVER HANDLE ON PLATE

Finish


SS / PSS / PVD



B02-005
STANINLESS STEEL SOLID LEVER HANDLE ON PLATE

Finish

SS / PSS / PVD




B02-006
STANINLESS STEEL SOLID LEVER HANDLE ON PLATE

Finish

SS / PSS / PVD

LEVER HANDLE ON PLATE SERIES

Mortise Tube Lever handle on Plate



B12-002
TUBE LEVER HANDLE ON OVAL PLATE IN STANINLESS STEEL WITH EURO PROFILE KEYHOLE




B12-003
TUBE LEVER HANDLE ON OVAL PLATE IN STANINLESS STEEL WITH OVAL KEYHOLE




B03-003
TUBE LEVER HANDLE ON RECTANGULAR PLATE IN STANINLESS STEEL WITH EURO PROFILE KEYHOLE

LEVER HANDLE ON PLATE SERIES


Antique Brass Lever handle on Plate




LH8330218 SSSP
Lever Handle with Plate



LH8985048 SSSP
Lever Handle with Plate



LH8885018 SSSP
Lever Handle with Plate



LH8985048 –X SSSP
Lever Handle with Plate

MORTISE LOCKCASE



ME72 MORTISE SASHLOCK

Available for wood door, Metal door and swing door. Fit on situation of business and residence available difference handle of material.

Function	Backset	Center to Center
Entrance lock for euro-profile cylinder, key to latch and deadbolt, inside & outside handles retract latch.	60mm	72mm



ME72 MORTISE SASHLOCK (PRIVACY)

Available for wood door, Metal door and swing door. Fit on situation of business and residence available difference handle of material.

Function	Backset	Center to Center
Toilet lock, handle retracts latch, toilet cylinder key to deadbolt.	60mm	72mm



MP72 MORTISE PASSAGE

Available for wood door, Metal door and swing door. Fit on situation of business and residence available difference handle of material.

Function	Backset	Center to Center
Inside and outside handles, retract latch.	60mm	72mm



MD72 MORTISE DEADLOCK

Available for wood door, Metal door and swing door. Fit on situation of business and residence available difference handle of material.

Function	Backset	Center to Center
Deadlock for euro-profile cylinder key to deadbolt.	60mm	72mm



MC72 MORTISE CLASSROOM

Available for wood door, Metal door and swing door. Fit on situation of business and residence available difference handle of material.

Function	Backset	Center to Center
Key to latch. Outside handle made inoperative when locked. Exit always free.	60mm	72mm



MNL72 MORTISE NIGHT LATCH

Available for wood door, Metal door and swing door. Fit on situation of business and residence available difference handle of material.

Function	Backset	Center to Center
Night latch for euro-profile cylinder, half cylinder, key to latch, exit always free.	60mm	72mm

MORTISE LOCKCASE



MEL72 MORTISE EMERGENCY LOCK
Available for wood door, Metal door and swing door. Fit on situation of business and residence available difference handle of material.

Function	Backset	Center to Center
Key to latch. Exit always free. Inside handle retracts both latch and bolt.	60mm	72mm



NMS NARROW STILE MORTISE SASHLOCK
Grand master key availble, metal door and swing door. Fit on situation of business and residence available difference handle of material.

Backset
25mm 30mm 35mm



NMD NARROW STILE MORTISE DEADLOCK
Grand master key availble, metal door and swing door. Fit on situation of business and residence available difference handle of material.

Backset
25mm 30mm 35mm



NME NARROW STILE EMERGENCY LOCK
Grand master key availble, metal door and swing door. Fit on situation of business and residence available difference handle of material.

Backset
25mm 30mm 35mm

MORTISE HOCK LOCK



Function	Backset
Steel swing out deadbolt with hook up & down deadbolt	40mm 60mm

EURO PROFILE CYLINDER



KS40
SATIN STAINLESS STEEL EURO SECURITY PROFILE SINGLE CYLINDER

Specification
- Security Cylinders are Brass material - Length : Approximately 40mm - Comes with 3 nos of Individual Key



KT40
SATIN STAINLESS STEEL EURO SECURITY PROFILE THUMBTURN CYLINDER (ONE SIDED)

Specification
- Security Cylinders are Brass material - Length : 40mm - Comes with 3 nos of Individual Key

EURO PROFILE CYLINDER



KT65
SATIN STAINLESS STEEL EURO SECURITY PROFILE THUMBTURN CYLINDER

Specification

- Security Profile Cylinders are Brass material
- Length : 65mm
- Comes with 3 nos of Individual Key



KD65
SATIN STAINLESS STEEL EURO SECURITY PROFILE DOUBLE CYLINDER

Specification

- Security Profile Cylinders are Brass material
- Length : 65mm
- Comes with 3 nos of Individual Key



KB65
SATIN STAINLESS STEEL EURO SECURITY PROFILE PRIVACY CYLINDER

Specification

- Security Profile Cylinders are Brass material
- Length : 65mm
- Coins slot



LC0006
SATIN STAINLESS STEEL EURO SECURITY PROFILE DOUBLE CYLINDER

Specification

- Security Profile Cylinders are Brass material
- Length : 65mm
- Comes with 3 nos of Individual Key



LC0007
SATIN STAINLESS STEEL EURO SECURITY PROFILE THUMBTURN CYLINDER

Specification

- Security Profile Cylinders are Brass material
- Length : 75mm
- Comes with 3 nos of Individual Key



LC0008
SATIN STAINLESS STEEL EURO SECURITY UK PROFILE THUMBTURN CYLINDER WITH COVER

Specification

- Security Profile Cylinders are Brass material
- Length : 75mm
- Comes with 3 nos of Individual Key



LC0009
SATIN STAINLESS STEEL AMERICAN SECURITY AMERICAN PROFILE ENTRANCE CYLINDER STYLE

Specification

- Security Profile Cylinders are Brass material
- Length : 32mm
- Comes with 3 nos of Individual Key

EURO PROFILE CYLINDER



LC0010
SATIN STAINLESS STEEL AMERICAN SECURITY
AMERICAN PROFILE THUMBTURN STYLE

Specification

- Security Profile Cylinders are Brass material
- Length : 32mm
- Comes with 3 nos of Individual Key



LC0011
SATIN STAINLESS STEEL AMERICAN SECURITY
AMERICAN PROFILE ENTRANCE CYLINDER STYLE

Specification

- Security Profile Cylinders are Brass material
- Length : 32mm
- Comes with 3 nos of Individual Key
- Exchangeable Cylinder



Enhanced Security



Highest Standards of CNC Technology



Up-to 4.5mil Combinations



Anti Technology Break-In



Anti Drill



Anti-Bump



Anti-Snap



Anti-Plug Pull



Anti-Pick

Escutcheon




Concorde Euro Profile Round Escutcheon




Concorde Euro Profile Oval Escutcheon

ACCESSORIES
HINGES




Plain Joint Hinge

Specification A" x B" x C (mm) - OBB		Finish
4 x 3 x 2	5 x 3.5 x 2.5	SS / SB / PSS / PB / AB / AC / NP
4 x 3 x 3	5 x 3.5 x 3	
4 x 3 x 2.5		




2Ball Bearinge Hinge

Specification A" x B" x C (mm) - 2BB		Finish
4 x 3 x 2.5	4.5 x 4 x 3	SS / SB / PSS / PB / AB / AC / NP
5 x 3 x 3	4 x 3 x 3	
4.5 x 4 x 3.4	5 x 3.5 x 3	
4 x 3.5 x 3	4.5 x 4.5 x 3.4	
5 x 4 x 3	4 x 4 x 3	



4Ball Bearinge Hinge


Specification A" x B" x C (mm) - 4BB		Finish
4 x 3 x 2.5	4.5 x 4 x 3	SS / SB / PSS / PB / AB / AC / NP
5 x 3 x 3	4 x 3 x 3	
4.5 x 4 x 3.4	5 x 3.5 x 3	
4 x 3.5 x 3	4.5 x 4.5 x 3.4	
5 x 4 x 3	4 x 4 x 3	



Electric Hinge


Function	Product Descrition	Finish
Protect electric wire form door leaf to door frame, concealed and mortise type. Available for situation of aesthathic instruction	Stainless steel 304, the same with appearance of normal hinge, protect wire, available 4, 6, 8 wires (according with clients requirement)	SS / SB / PSS / PB / AB / AC / NP

ACCESSORIES
HINGES



Plain Joint Security Hinge

Finish
SS / SB / PSS / PB / AB / AC / NP



Single Action Spring Hinge

Finish
SS / SB / PSS / PB / AB / AC / NP



ZINIC Concealed Hinge


Material	Product Descrition	Finish
ZINC	Concealed when the door is closed. Opening angle max. 180 degree	SN / SCP



SUS304 Concealed Hinge

Material	Product Descrition	Finish
SUS304	Concealed when the door is closed. Opening angle max. 180 degree	SS / PSS / SB / PB / AC / AB

ACCESSORIES
Flush Pull




CHE0001
OVAL FLUSH PULL

Size	Material	Finish
102mm x 51mm	SUS304	SS / PSS / SB / PB / AB / AC




CHE0002
RECTANGULAR FLUSH PULL

Size	Material	Finish
125mm x 83mm	SUS304	SS / PSS / SB / PB / AB / AC




CHE0003
FLUSH PULL WITH KEY HOLE

Size	Material	Finish
150mm x 50mm	SUS304	SS / PSS / SB / PB / AB / AC



CHE0004
FLUSH PULL WITH KEY HOLE COME WITH COVER PLATE

Size	Material	Finish
150mm x 50mm	SUS304	SS / PSS / SB / PB / AB / AC




CHE0005
ROUND FLUSH PULL

Material	Finish
SUS304	SS / PSS / SB / PB / AB / AC



CHE0006
FLUSH PULL WITH WHITE RUBBER

Material	Finish
Zinc alloy	SS / PSS / SB / PB / AB / AC



CHE0007
ROUND FLUSH WITH HOOK

Material	Finish
SUS304	SS / PSS / SB / PB / AB / AC



CHE0008
EDGE FLUSH PULL

Material	Finish
SUS304	SS / PSS / SB / PB / AB / AC

ACCESSORIES
Rebated Part



E03-001
REBATED PART FOR
MORTISE LOCK-SN




E03-002
REBATED PART FOR
CYLINDRICAL LOCK-SN



E03-003
REBATED PART FOR
CYLINDRICAL LOCK-PVC


ACCESSORIES
Wall / Floor Door Stopper





323
HAT & COAT HOOK DOOR STOPPER

Material	Finish
SUS304	SS / SB / PB / PSS / AB / AC





333
HAT & COAT HOOK DOOR STOPPER

Material	Finish
SUS304	SS / SB / PB / PSS / AB / AC





DS0006
FLOOR BLACK BUMPER DOOR STOPPER


Material	Finish
SUS304	SS / SB / PB / PSS / AB / AC





DS0012
HAT & COAT HOOK DOOR STOPPER


Material	Finish
Zinc alloy	SN / CP / AB / AC





DS0013
BLACK BUMPER DOOR STOPPER

Material	Finish
SUS304	SS / SB / PB / PSS / AB / AC






DS0015
ROUND DOOR STOPPER

Material	Finish
Brass	SB / PB / SN / AB / AC


ACCESSORIES

Wall / Floor Door Stopper




DS0016
ROUND DOOR STOPPER WITH BLACK BUMPER

Material	Finish
Brass	SB / PB / SN / AB / AC




DS0017
HOOK DOOR STOPPER WITH BLACK BUMPER (ON TOP)

Material	Finish
Brass	SS / SB / SN / AB / AC




DS0019
HOOK DOOR STOPPER WITH BLACK BUMPER (ON SIDE)

Material	Finish
Brass	SN / CP / AB / AC




DS02-005
FLOOR MAGNETIC DOOR STOPPER

Material	Finish
Zinc alloy	SN / CP / SB / AB / AC



F01-002
FLOOR BLACK BUMPER DOOR STOPPER

Material	Finish
SUS304	SS / SB / PB / PSS / AB / AC



F01-004
BLACK BUMPER DOOR STOPPER

Material	Finish
SUS304	SS / SB / PB / PSS / AB / AC




F01-013
FLOOR BLACK BUMPER DOOR STOPPER

Material	Finish
SUS304	SS / SB / PB / PSS / AB / AC



F01-014
FLOOR BLACK BUMPER DOOR STOPPER

Material	Finish
SUS304	SS / SB / PB / PSS / AB / AC



F01-023
SWAN BLACK BUMPER DOOR STOPPER

Material	Finish
Brass	SB / PB / SN / AB / AC


ACCESSORIES

Wall / Floor Door Stopper



F02-003
BLACK BUMPER DOOR STOPPER

Material	Finish
Brass	PB / SB / SN / AB / AC




F02-004
BLACK BUMPER DOOR STOPPER

Material	Finish
SUS304	SS / SB / PB / PSS / AB / AC




F02-013
BLACK BUMPER DOOR STOPPER

Material	Finish
Zinc alloy	SN / CP / SB / AB / AC



F05-003
BLACK BUMPER DOOR STOPPER WITH PLATE

Material	Finish
Brass	SB / PB / SN / AB / AC




FT607
FOOT STEP DOOR STOPPER

Material	Finish
SUS304	SS




F03-005
MAGNETIC DOOR STOPPER

Material	Finish
Zinc alloy	SN / CP / SB / AB / AC



MDS0001
MAGNETIC DOOR STOPPER

Material	Finish
Zinc alloy	SN / CP / SB / AB / AC



MDS0002
MAGNETIC DOOR STOPPER

Material	Finish
Zinc alloy	SS / CP / SB / AB / AC



MDS0003
MAGNETIC DOOR STOPPER

Material	Finish
Zinc alloy	SN / CP / SB / AB / AC


ACCESSORIES

Wall / Floor Door Stopper




MDS0004
MAGNETIC DOOR STOPPER

Material	Finish
Brass	SS / PSS / SB / PVD




MDS0005
FLOOR MAGNETIC DOOR STOPPER

Material	Finish
SUS304	SS / PSS / SB / PVD




MDS0006
FLOOR MAGNETIC DOOR STOPPER

Material	Finish
Zinc alloy	SN / CP / SB / AB / AC



MDS0007
FLOOR MAGNETIC DOOR STOPPER

Material	Finish
SUS304	SS / PSS / SB / PVD




MDS0009
FLOOR MAGNETIC DOOR STOPPER

Material	Finish
Brass	SN / CP / SB / AB / AC


ACCESSORIES

Thumbturn Indicator/ Indicating Bolt




G01-001
THUMBTURN INDICATOR

Material	Finish
SUS304	SS / PSS / SB / PVD




G01-002
THUMBTURN INDICATOR

Material	Finish
SUS304	SS / PSS / SB / PVD




G01-005
THUMBTURN INDICATOR

Material	Finish
SUS304	SS / PSS / SB / PVD




G01-006
INDICATOR BOLT

Material	Finish
SUS304	SS / PSS / SB / PVD




TT0001
THUMBTURN INDICATOR

Material	Finish
Brass	SN / CP / PB




G01-012
THUMBTURN INDICATOR WITH HOOK

Material	Finish
SUS304	SS / PSS / SB / PVD



TT0007
THUMBTURN INDICATOR WITH MAGNETIC HOLDER

Material	Finish
SUS304	SS / PSS / SB / PVD



P3004
INDICATOR BOLT

Material	Finish
SUS304	SN / CP / PB

ACCESSORIES

Flush Bolt




610M
AUTOMATIC FLUSH BOLT FOR METAL DOOR

Material	Finish
SUS304	SS / PSS / SB / PB



610W
AUTOMATIC FLUSH BOLT FOR WOOD DOORS

Material	Finish
SUS304	SS / PSS / SB / PB




H01-003
STAINLESS STEEL FLUSH BOLT

Material	Finish
SUS304	SS / PSS / SB / PB



H01-004
STAINLESS STEEL FLUSH BOLT (BOX TYPE)

Material	Finish
SUS304	SS / PSS / SB / PB



H01-005
STAINLESS STEEL FLUSH BOLT FOR FOLDING & SLDING DOOR

Material	Finish
SUS304	SS / PSS / SB / PB




DB0005
STAINLESS STEEL EXRTENSION FLUSH BOLT

Material	Finish
SUS304	SS / PSS / SB / PB



DB0006
EXRTENSION FLUSH BOLT

Material	Finish
Brass	SN / SC




DB0008
AUTO FLUSH BOLT

Material	Finish
SUS304	SS / PSS / SB / PB

ACCESSORIES


Dust Socket





DP0002
DUST SOCKET (DUST PROOF)


Material	Finish
SUS304	SS / PSS / SB / PB / AC / AB





DP0004
DUST SOCKET (DUST PROOF)


Material	Finish
Brass	SB / SN / PB / AC / AB





DP0005
DUST SOCKET (DUST PROOF)


Material	Finish
SUS304	SS / PSS / SB / PB / AC / AB





H02-001
DUST SOCKET (DUST PROOF)


Material	Finish
SUS304	SS / PSS / SB / PB / AC / AB





H02-004
DUST SOCKET (DUST PROOF) WITH PLATE

Material	Finish
Brass	SB / SN / PB / AC / AB






P4001
DUST SOCKET (DUST PROOF)

Material	Finish
SUS304	SS / PSS / SB / PB / AC / AB


ACCESSORIES

Pull Handle C/W Plate




SP0001
SS PULL HANDLE WITH PLATE (WITH PULL WORD)

Size	Material	Finish
100 x 300 x 1.5mm	SUS304	SS / PSS / SB / PVD




SP0002
SS PULL HANDLE WITH PLATE (WITH PUSH WORD)

Size	Material	Finish
100 x 300 x 1.5mm	SUS304	SS / PSS / SB / PVD




SP0002
SS PULL HANDLE WITH PLATE (WITHOUT WORD)

Size	Material	Finish
100 x 300 x 1.5mm	SUS304	SS / PSS / SB / PVD




SP0004
SS PULL PLATE

Size	Material	Finish
300 x 100 x 1.2mm 300 x 100 x 1.5mm	SUS304	SS / PSS / SB / PVD




SP0005
SS PUSH PLATE VERTICAL PUSH WORD (CURVE ON SIDE)

Size	Material	Finish
300 x 100 x 1.2mm 300 x 100 x 1.5mm	SUS304	SS / PSS / SB / PVD



SP0005
SS PUSH PLATE HORIZONTAL PUSH WORD (ON BOTTOM)

Size	Material	Finish
300 x 100 x 1.2mm 300 x 100 x 1.5mm	SUS304	SS / PSS / SB / PVD



SP0007
SS OVAL PUSH PLATE HORIZONTAL PUSH WORD (ON TOP)

Size	Material	Finish
300 x 100 x 1.2mm 300 x 100 x 1.5mm	SUS304	SS / PSS / SB / PVD



SP0008
SS PULL PLATE (FOR FIRE DOOR)

Size	Material	Finish
300 x 100 x 1.2mm 300 x 100 x 1.5mm	SUS304	SS / PSS / SB / PVD

ACCESSORIES
Sign Plate / Push Plate



I01-013
LADIES WASHROOM - SS

Size
76 diameter x 1.5mm



I01-014
MEN'S WASHROOM - SS

Size
76 diameter x 1.5mm



I01-017
HANDICAPPED WASHROOM - SS

Size
76 diameter x 1.5mm

ACCESSORIES
Door Guard





DG0001
DOOR GUARD

Material	Finish
Zinc alloy	SN / CP / SB / AB / AC





DG0002
DOOR GUARD

Material	Finish
Zinc alloy	SN / CP / SB / AB / AC




DG0003
DOOR GUARD


Material	Finish
Zinc alloy	SN / CP / SB / AB / AC




K03-001
DOOR GUARD


Material	Finish
Zinc alloy	SN / CP / SB / AB / AC

ACCESSORIES
Cup Handle / Flush Pull Ring




K01-001 (A)
CUP FLUSH PULL RING (A)

Material	Finish
SUS304	SS / PSS / SB / PVD




K01-001 (B)
CUP FLUSH PULL RING (B)

Material	Finish
SUS304	SS / PSS / SB / PVD



K01-003
CUP FLUSH PULL RING

Material	Finish
SUS304	SS / PSS / SB / PVD



CH0008
CUP FLUSH PULL RING ON RECTANGULAR PLATE

Material	Finish
SUS304	SS / PSS / SB / PVD



K01-005
FLUSH PULL RING

Material	Finish
SUS304	SS / PSS / SB / PVD



K01-006
FLUSH PULL RING

Material	Finish
SUS304	SS / PSS / SB / PVD

ACCESSORIES

Door Selector




DC0001
DOOR SELETOR

Material	Finish
SUS304	SS



DC0002
DOOR SELETOR

Material	Finish
SUS304	SS



DC0003
DOOR SELETOR


Material	Finish
SUS304	SS



DC0004
CONCEALED DOOR SELETOR


Demension	Material	Finish
32” / 42” / 52” / 60”	SUS304	SS

Parts & Assemble




No.		QTY
1	Body	1
2	M5X14.7	8
3	ST4.8X32	8
4	Track	1
5	Washer	1
6	M6X12	1
7	Fixing Screw M8	1
8	Main arm	1
9	Sliding plastic part	1

Speed Adjustment




Power Size Adjustment and Door Suitability



Size	Adjustment circle	Opening angle	Door width (mm)	Door weight (kg)	Door Thickness (mm)
2	0	120°	≤850	≤40	Wooden door ≥40
3	+	120°	≤950	≤60	
4	+	120°	≤1150	≤80	Metal door ≥86

Suitable for R / L Use Installation



	DC0001	DC0002	DC0003	DC0004	DC0005	DC0006	DC0007	DC0008
Arm Standard	✓	✓	✓	✓	✓	✗	✗	✗
Parallel Arm Bracket	O	O	O	O	O	✗	✗	✗
Slide Arm	O	O	O	O	O	✓	✓	✓
Slide Arm & Hold Open	O	O	O	O	O	O	O	O
Hold Open Arm	O	O	O	O	O	O	O	✗
Sweeping speed adjustment	✓	✓	✓	✓	✓	✓	✓	✓
Latching speed adjustment	✓	✓	✓	✓	✓	✓	✓	✓
Back Check Adjustable	O	O	O	O	✗	O	O	O

✓ = Yes ✗ = No O = Option

ACCESSORIES

Door Closer



DC0001
DOOR CLOSER

Size	Finish
2-4	Silver



T65G
Slide Arm

Size	Finish
2-4	Silver



T81J
DOOR CLOSER

Size	Finish
2-6	Silver



T96G
Concealed cam-action
Door Closer with Track arm

Size	Finish
2-4	Silver



DC0005
DOOR CLOSER

Size	Finish
2-4	Silver



C380
Concealed Rack & Pinion
Door Closer with Track arm

Size	Finish
2-4	Silver



DC0006
CONCEALED
DOOR CLOSER

Size	Finish
2-4	Silver



T66B (T660)
Concealed Rack & Pinion
Door Closer with Track arm


Size	Finish
2-4	Silver

ACCESSORIES
Security Door Chain



DG0101
SECURITY DOOR CHAIN

Material	Finish
SUS304	SS / PSS / SB / PVD



DG0103
SECURITY DOOR CHAIN

Material	Finish
SUS304	SS / PSS / SB / PVD




K02-002
SECURITY DOOR CHAIN

Material	Finish
SUS304	SS / PSS / SB / PVD



K02-006
SECURITY DOOR CHAIN


Material	Finish
Zinc alloy	SN / CP / SB / AB / AC



K02-004
SECURITY DOOR CHAIN

Material	Finish
Zinc alloy	SN / CP / SB / AB / AC

ACCESSORIES
Ball Catch



K05-005
BRASS DBL.
BALL CATCH

Size
60mm / 70mm

ACCESSORIES
Door Viewer



K04-002 (160°)
DOOR VIEWER

Material	Finish
Brass	CP / SN / AC / AB / PVD



K04-002 (180°)
DOOR VIEWER

Material	Finish
Brass	CP / SN / AC / AB / PVD



K04-002 (200°)
DOOR VIEWER

Material	Finish
Brass	CP / SN / AC / AB / PVD



K04-002 (220°)
DOOR VIEWER

Material	Finish
Brass	CP / SN / AC / AB / PVD

Panic Exit Devices



PED0001
STAINLESS STEEL PANIC BAR

Style	Application	Mateial
Horizontal pushing type	Single Door	Stainless Steel



PPED0002
STAINLESS STEEL PANIC BAR WITH ROD

Style	Application	Mateial
Horizontal pushing type	Double Door (with PED0001)	Stainless Steel



PED0101
POWDER COATING HORIZONTAL PUSHING PANIC BAR WITH ROD

Style	Application	Mateial
Horizontal pushing type	Single Door	Iron




PED0102
POWDER COATING HORIZONTAL PUSHING PANIC BAR WITH ROD

Style	Application	Mateial
Horizontal pushing type	Double Door (with PED0001)	Iron


SLIDING DOOR SYSTEM






STD0001
SAME TRIPLE DOOR

Maximum door weight	Application	Regulation perfomance	Door width (mm)	Door thickness (mm)	Low wear sliding mute
80kg	Same triple door	To adjust door leaf installation and door margin	500-1200mm	40-37mm	





DSD0001
DOUBLE SLIDING DOOR


Maximum door weight	Application	Regulation perfomance	Door width (mm)	Door thickness (mm)	Low wear sliding mute
80kg	Double sliding door, synchronous reverse open double sliding door	To adjust door leaf installation and door margin	500-1200mm	40-37mm	

SLIDING DOOR ACCESSORIES



ST0501
250KG HUNG WHEEL


Aluminum alloy body Hanging Code	Wheel	Track
304 Stainless Steel	Nylon	SD004





ST0101
DOUBLE HUNG WHEEL

Produc bearing	Track
≥120kg	SD0001



ST0102
DOUBLE HUNG WHEEL

Produc bearing	Track
≥100kg	SD0002




ST0201
DOUBLE HUNG WHEEL (Glass panels)

Produc bearing	Track
≥120kg	SD0002



ST0301
DOUBLE HUNG WHEEL

Produc bearing	Track
≥80kg	SD0003



SD0001
TRACK


Material	Finish
Aluminium	SA



SD0002
TRACK


Material	Finish
Aluminium	SA

SLIDING DOOR ACCESSORIES





SD0003
TRACK

Material	Finish
Aluminium	SA





SD0004
TRACK

Material	Finish
Aluminium	SA




SDL0001
ROUND FLUSH PULL RING

Material	Finish
Brass	SB / CP /SN / AC / AB





SDL0002
OVAL FLUSH PULL

Material	Finish
Zinc alloy	PVD / CP /SN / AC / AB




SDL0003
RECTANGULAR FLUSH PULL


Material	Finish
Zinc alloy	PVD / CP /SN / AC / AB




SDL0004
FLUSH PULL W / DOOR LOCK

Material	Finish
SUS304	PVD / CP /SN / AC / AB

PATCH FITTING



GLASS DOOR PATCH FITTING

Glass door patch fitting application

Patch fitting is widely used in shopping malls, supermarkets, barbershops hotels, office buildings. etc. It can not only effectively iso late the dust and noise of the outsid e world, to create the most superior and comfortable conditions for indoor, but also take in everything in a glance outside, to increase the desire of customers into the store, For this glass door patch fitting has been supporting.

Glass door patch fitting features

Adopts high quality stainless steel material and to avoid rust, more strong wear -resisting, not to collapse and warped edge. Flat surface through a careful sanding polishing processing, make its more exquisite and smooth flat arbitrary angle can reflect the texture of the product let the whole patch fitting raised a layer, the edge horn after round smooth and polished, no scratches on any object around, to use more comfortable and durable.

GLASSING FITTINGS

Patch Fitting



JU-020

Material	Door Thickness Application	Finish
Aluminium body	8 - 12mm	SS / PSS



JU-010

Material	Door Thickness Application	Finish
Aluminium body	8 - 12mm	SS / PSS



JU-030

Material	Door Thickness Application	Finish
Aluminium body	8 - 12mm	SS / PSS



JU-040

Material	Door Thickness Application	Finish
Aluminium body	8 - 12mm	SS / PSS



JS-010

Material	Door Thickness Application	Finish
Aluminium body	8 - 12mm	SS / PSS



PF0004

Material	Door Thickness Application	Finish
Aluminium body	8 - 12mm	SS / PSS



PF0007

Material	Door Thickness Application	Finish
Aluminium body	8 - 12mm	SS / PSS



PF0008

Material	Door Thickness Application	Finish
Aluminium body	8 - 12mm	SS / PSS



PF0009

Material	Door Thickness Application	Finish
Aluminium body	8 - 12mm	SS / PSS

GLASSING FITTINGS

Patch Fitting



PF0010

Material	Door Thickness Application	Finish
Aluminium body	8 - 12mm	SS / PSS



PF0011

Material	Door Thickness Application	Finish
Aluminium profile	8 - 12mm	SS / PSS



PF0012

Material	Door Thickness Application	Finish
Aluminium profile	8 - 12mm	SS / PSS



PF0101

Material	Door Thickness Application	Finish
SUS304	12 - 15mm	SS / PSS



PF0102

Material	Door Thickness Application	Finish
SUS304	12 - 15mm	SS / PSS



PF0103

Material	Door Thickness Application	Finish
SUS304	12 - 15mm	SS / PSS



PF0104

Material	Door Thickness Application	Finish
Aluminium body	12 - 15mm	SS / PSS



PF0105

Material	Door Thickness Application	Finish
Aluminium body	12 - 15mm	SS / PSS



PF0106

Material	Door Thickness Application	Finish
SUS304	12 - 15mm	SS / PSS

GLASSING FITTINGS

Patch Fitting



PF0107

Material	Door Thickness Application	Finish
SUS304	12 - 15mm	SS / PSS



PF0108

Material	Door Thickness Application	Finish
SUS304	12 - 15mm	SS / PSS



PF0201

Material	Door Thickness Application	Finish
Aluminium profile	19mm	SS / PSS



PF0202

Material	Door Thickness Application	Finish
SUS304	19mm	SS / PSS



FLOOR HINGE



FS0001

Tech Refrence Material

Closing Force	The Largest Door Leaf	The Largest Bearing	Speed Control	Orientation Agle	Net Weight	Long	Wide	High
25N.m	≤1200mm	130kg	2	90°	5.5kg	310mm	111mm	42mm



FS0002

Tech Refrence Material


Closing Force	The Largest Door Leaf	The Largest Bearing	Speed Control	Orientation Agle	Net Weight	Long	Wide	High
15N.m	≤900mm	90kg	2	90°	4.5kg	253mm	102mm	52mm



FS0003

Tech Refrence Material

Closing Force	The Largest Door Leaf	The Largest Bearing	Speed Control	Orientation Agle	Net Weight	Long	Wide	High
35N.m	≤1300mm	150kg	2	90°	5.6kg	310mm	111mm	42mm



FS0004

Tech Refrence Material

Closing Force	The Largest Door Leaf	The Largest Bearing	Speed Control	Orientation Agle	Net Weight	Long	Wide	High
35N.m	≤1300mm	150kg	2	90°	5.6kg	310mm	111mm	42mm



FS0005

Tech Refrence Material

Closing Force	The Largest Door Leaf	The Largest Bearing	Speed Control	Orientation Agle	Net Weight	Long	Wide	High
45N.m	≤1500mm	180kg	2	90°	6.2kg	273mm	126mm	70mm




FS0006

Tech Refrence Material


Closing Force	The Largest Door Leaf	The Largest Bearing	Speed Control	Orientation Agle	Net Weight	Long	Wide	High
63N.m	≤1600mm	300kg	2	90°	7.3kg	340mm	79mm	60mm

ACCESSORIES
Pull Handle




BM-D
SSS PULL HANDLE

Material	D	C	H	Finish
SUS304	Ø25mm	300mm	75mm	SS / PSS / PVD / AB
	Ø25mm	450mm	75mm	
	Ø25mm	600mm	80mm	
	Ø32mm	600mm	80mm	




BM-N
SSS PULL HANDLE

Material	D	C	H	L	Finish
SUS304	Ø25mm	300mm	75mm	130mm	SS / PSS /
	Ø25mm	400mm	75mm	130mm	PVD / AB
	Ø32mm	450mm	80mm	140mm	
	Ø32mm	600mm	80mm	140mm	




BM-H
SSS "H SHAPE" PULL HANDLE

Material	D	C	H	L	Finish
SUS304	Ø25mm	300mm	70mm	400mm	SS / PSS /
	Ø25mm	450mm	70mm	600mm	PVD / AB
	Ø32mm	350mm	77mm	500mm	
	Ø32mm	600mm	77mm	800mm	



BM-H
SSS RECTANGULAR PULL HANDLE


Material	D	C	H	L	Finish
SUS304	□30x30mm²	800mm	75mm	1000mm	SS / PSS /
	□30x30mm²	600mm	75mm	800mm	PVD / AB
	□25x25mm²	425mm	70mm	600mm	
	□25x25mm²	300mm	70mm	450mm	
	□20x20mm²	300mm	65mm	400mm	



C12-007
SSS PULL HANDLE

Material	D	C	H	L	Finish
SUS304	Ø25mm	300mm	70mm	400mm	SS / PSS /
	Ø25mm	450mm	70mm	600mm	PVD / AB
	Ø32mm	350mm	77mm	500mm	
	Ø32mm	600mm	77mm	800mm	

ACCESSORIES
Pull Handle




C12-010
SSS PULL HANDLE

Material	D	C	H	L	Finish
SUS304	Ø25mm	300mm	70mm	120mm	SS / PSS /
	Ø25mm	400mm	70mm	120mm	PVD / AB
	Ø32mm	450mm	80mm	140mm	
	Ø32mm	600mm	80mm	140mm	




C12-027
SSS PULL HANDLE

Material	D	C	H	L	Finish
SUS304	Ø25mm	300mm	70mm	500mm	SS / PSS /
	Ø25mm	450mm	70mm	650mm	PVD / AB
	Ø32mm	600mm	77mm	900mm	
	Ø32mm	800mm	77mm	1150mm	




C12-061
SSS RECTANGULAR PULL HANDLE

Material	D	C	H	L	Finish
SUS304	□19x19mm²	300mm	57mm	335mm	SS / PSS /
	□19x25mm²	450mm	57mm	488mm	PVD / AB



PH0102
SSS PULL HANDLE


Material	D	C	H	L	Finish
SUS304	40x20mm²	300mm	65mm	450mm	SS / PSS /
	40x20mm²	650mm	65mm	800mm	PVD / AB



PH0103
SSS PULL HANDLE (SQUARE)


Material	D	C	H	L	Finish
SUS304	25x25mm²	426mm	80mm	600mm	SS / PSS /
					PVD / AB

ACCESSORIES
Pull Handle




PH0104
SSS PULL HANDLE

Material	D	C	H	L	Finish
SUS304	Ø22mm	350mm	68mm	390mm	SS / PSS / PVD / AB




PH0108
SSS PULL HANDLE

Material	D	C	H	L	Finish
SUS304	□40x20mm²	300mm	65mm	450mm	SS / PSS / PVD / AB
	□40x20mm²	450mm	65mm	600mm	
	□50x25mm²	450mm	70mm	600mm	
	□20x25mm²	600mm	70mm	520mm	




PH0202
SSS PULL HANDLE

Material	D	C	H	L	E	Finish
SUS304	□25x13mm²	450mm	58mm	463mm	60mm	SS / PSS / PVD / AB
	□13x25mm²	450mm	70mm	475mm	60mm	
	□20x25mm²	450mm	70mm	475mm	80mm	
	□25x25mm²	600mm	70mm	625mm	80mm	
	□38x25mm²	600mm	70mm	625mm	110mm	
	□25x38mm²	600mm	83mm	638mm	110mm	



PH0204
SSS PULL HANDLE

Material	D	C	H	L	E	Finish
SUS304	□25x13mm²	450mm	58mm	463mm	60mm	SS / PSS / PVD / AB
	□13x25mm²	450mm	70mm	475mm	60mm	
	□25x25mm²	450mm	70mm	475mm	80mm	
	□25x25mm²	600mm	70mm	625mm	80mm	
	□38x25mm²	600mm	70mm	625mm	110mm	
	□25x38mm²	600mm	83mm	638mm	110mm	




PH0301
SSS PULL HANDLE

Material	D	C	H	Finish
SUS304	Ø25mm	400mm	70mm	SS / PSS / PVD / AB
	Ø25mm	600mm	70mm	
	Ø25mm	600mm	80mm	


ACCESSORIES

Pull Handle




PH0302
SSS PULL HANDLE

Material	D	C	H	L	Finish
SUS304	☐13x25mm²	450mm	58mm	463mm	SS / PSS / PVD / AB
	☐25x13mm²	450mm	70mm	475mm	
	☐25x25mm²	450mm	70mm	475mm	
	☐25x25mm²	600mm	70mm	625mm	
	☐25x38mm²	600mm	70mm	625mm	
	☐38x25mm²	600mm	83mm	638mm	



PH0304
SSS PULL HANDLE

Material	D	C	H	L	Finish
SUS304	☐13x25mm²	450mm	58mm	463mm	SS / PSS / PVD / AB
	☐25x13mm²	450mm	70mm	475mm	
	☐25x25mm²	450mm	70mm	475mm	
	☐25x25mm²	600mm	70mm	625mm	
	☐25x38mm²	600mm	70mm	625mm	
	☐38x25mm²	600mm	83mm	638mm	




PH0305
SSS PULL HANDLE

Material	D	C	H	Finish
SUS304	☐25x13mm²	275mm	58mm	SS / PSS / PVD / AB
	☐13x25mm²	350mm	58mm	
	☐30x15mm²	450mm	60mm	
	☐30x15mm²	600mm	60mm	

Shower Hardware

Shower Hinge




SH0101-Adjust
SHOWER HINGE

Material	Finish
Brass	CP / SC / SN PVD



SH0102-Adjust
SHOWER HINGE


Material	Finish
Brass	CP / SC / SN PVD





SH0103-Adjust
SHOWER HINGE


Material	Finish
Brass	CP / SC / SN PVD





SH0104-Adjust
SHOWER HINGE

Material	Finish
Brass	CP / SC / SN PVD






SH0105-Adjust
SHOWER HINGE

Material	Finish
Brass	CP / SC / SN PVD



SH0106-Adjust
SHOWER HINGE

Material	Finish
Brass	CP / SC / SN PVD





SH0201
SHOWER HINGE

Material	Finish
Brass	CP / SC / SN PVD





SH0202
SHOWER HINGE

Material	Finish
Brass	CP / SC / SN PVD

Shower Hardware

Shower Hinge



SH0203
SHOWER HINGE


Material	Finish
Brass	CP / SC / SN PVD





SH0204
SHOWER HINGE


Material	Finish
Brass	CP / SC / SN PVD





SH0301
SHOWER HINGE

Material	Finish
Brass	CP / SC / SN PVD





SH0302
SHOWER HINGE


Material	Finish
Brass	CP / SC / SN PVD





SH0303
SHOWER HINGE

Material	Finish
Brass	CP / SC / SN PVD





SH0304
SHOWER HINGE


Material	Finish
Brass	CP / SC / SN PVD





SH0401
SHOWER HINGE

Material	Finish
Brass	CP / SC / SN PVD





SH0402
SHOWER HINGE

Material	Finish
Brass	CP / SC / SN PVD

Shower Hardware

Shower Hinge




SH0403
SHOWER HINGE

Material	Finish
Brass	CP / SC / SN PVD



SH0404
SHOWER HINGE

Material	Finish
Brass	CP / SC / SN PVD



SH0501
SHOWER HINGE

Material	Finish
Brass	CP / SC / SN PVD




SH0502
SHOWER HINGE

Material	Finish
Brass	CP / SC / SN PVD




SH0503
SHOWER HINGE

Material	Finish
Brass	CP / SC / SN PVD




SH0504
SHOWER HINGE

Material	Finish
Brass	CP / SC / SN PVD



CL0001
SHOWER HINGE

Material	Finish
Brass	CP / SC / SN PVD



CL0002
SHOWER HINGE

Material	Finish
Brass	CP / SC / SN PVD

Shower Hardware
Shower Hinge





CL0003
SHOWER HINGE

Material	Finish
Brass	CP / SC / SN PVD





CL0004
SHOWER HINGE

Material	Finish
Brass	CP / SC / SN PVD

Shower Hardware
Shower Pull Handle





GDH0001
SHOWER ROOM PULL HANDLE

Material	Finish
SUS304	SS / PSS





GDH0002
SHOWER ROOM PULL HANDLE


Material	Finish
SUS304	SS / PSS





GDH0003
SHOWER ROOM PULL HANDLE

Material	Finish
SUS304	SS / PSS





GDH0004
SHOWER ROOM PULL HANDLE

Material	Finish
SUS304	SS / PSS






GDH0005
SHOWER ROOM PULL HANDLE

Material	Finish
SUS304	SS / PSS


MORTISE LOCKCASE



Sash lock

Function:
Entrance lock for euro-profile cylinder, key to latch and deadbolt, inside and outside handles retract latch.


Backset: 60mm
Centrer to center: 72mm



Privacy lock

Function:
Toiet lock, handles retract latch, toilet cylinder key to deadbolt.


Backset: 60mm
Centrer to center: 72mm



Passage lock

Function:
Inside and outside handles retract latch.


Backset: 60mm
Centrer to center: 72mm



Deadbolt lock

Function:
Deadbolt for euro-profile cylinder key to deadbolt.


Backset: 60mm
Centrer to center: 72mm



Classroom lock

Function:
Key to latch. Outside handles made in operative when lock exit always free.


Backset: 60mm
Centrer to center: 72mm



Night latch

Function:
Night latch for euro-profile half cylinder, key 10 lacth, exit always free.

Backset: 60mm
Centrer to center: 72mm



Emergency lock


Function:
Key to latch. Exit always free. Inside handles retract both latch and bolt.

Backset: 60mm
Centrer to center: 72mm

Functions


Entry Lock

- **Ideal for entrance or office doors.**
- Dead locking latch bolt operated by lever from either side except when outside lever is locked by the push or turn button on inside.
- Key outside or operating inside lever releases push or turn button unlocking outside lever except when push or turn button has been rotated to keep outside lever locked.
- Inside lever always operates latch bolt.




Privacy, Bedroom or Bath Lock

- **Ideal for lavatory or other privacy doors.**
- Latch bolt operated by lever from either side.
- Outside lever is locked by push button inside and unlocked by emergency release outside, operating inside lever or closing door.




Passage or Closet Latch

- **Ideal for doors that do not require locking.**
- Latch bolt operated by lever, from either side at all times.




Storeroom or Closet Lock

- **Ideal for storeroom, utility, or exit doors.**
- Dead locking latch bolt operated by key in outside lever, or by operating inside lever.
- Outside lever is always inoperable.
- Operating the key in outside lever shall permit the latch bolt to be retracted by operating the outside lever, providing the key cannot be removed in the unlocked position.



Classroom Lock


- **Ideal for classroom or utility room doors.**
- Dead locking latch bolt operated by lever from either side except when outside lever is locked from outside by key.
- Operating the key in the lever shall permit the latch bolt to be retracted.
- When outside lever is locked, latch bolt is operated by inside lever.



🔒	N/A	Interior Push Button	N/A	Interior Push Button	N/A	N/A	Auto-lock	Auto-lock	Key	N/A
🔓	Key	Interior Lever (Emergency Egress)	Trench (coin)	Interior Lever (Emergency Egress)	Exterior Lever	Interior Lever	Key	Interior Lever (Auto-lock)	Key	Interior Lever


Communicating Lock

- **Ideal for communicating or store entrance doors.**
- Dead locking latch bolt operated by lever from either side.
- Turning key in either lever locks or unlocks its own lever independently.
- Do not use on doors in rooms that have no other entrance.




Entry Lock

- **Ideal for entrance or office doors.**
- Dead locking latch bolt operated by lever from either side except when outside lever is locked by push button or other locking device on inside.
- When outside lever is locked, operating in outside lever or operating inside lever unlocks push button or other locking device and retracts latch bolt
- Closing door does not release push button or other locking device.




Utility, Asylum or Institutional Lock

- **Ideal for utility room or institution doors.**
- Dead locking latch bolt operated by key in lever, from either side.
- Both levers always inoperable.
- At the option of individual manufacturer, operating the key in the outside lever shall permit the latch bolt to be retracted by operating either the inside or outside lever, providing the key cannot be removed in the unlocked position.




Corridor Lock

- **Ideal for corridor or connecting doors.**
- Dead locking latch bolt operated by lever from either side except when outside lever is locked by key in outside lever or by push button or other locking device on inside.
- Key in outside lever locks or unlocks the outside lever.
- Operating inside lever releases push button or other locking device placed in locking position.
- Closing door releases push button or other inside locking device.
- Inside lever always operates latch bolt.





Inactive Lever



🔒	Key	Same as exterior	N/A	Interior Push Button	Auto-lock	Same as exterior	Key	Interior Push Button	N/A	N/A
🔓	Key	Same as exterior	Key	Interior Lever (Emergency Egress)	Key	Same as exterior	Key	Interior Lever Key/Kick-off	N/A	N/A

Remark:
1. Emergency Egress: Door is unlocked automatically when the lever is turned. Door must be manually re-locked.
2. Auto-lock: Door re-locks itself as soon as it is closed.


Functions

	Exit Lock , Vandal Resistant ▪ **Ideal for exit-only doors.** ▪ Dead locking latch bolt operated by inside handle only; outside handle inoperable at all times.		**Intruder Classroom Lock** ▪ **Ideal for Classroom or utility room doors.** ▪ Dead locking latch bolt operated by handle from either side. Key either inside or outside locks or unlocks outside handle. ▪ Inside Lever always operates latch bolt.	
				
🔒	Auto-lock	N/A	Key	Key
🔓	N/A	Interior Lever	Key	Key

1. Emergency Egress: Door is unlocked automatically when the lever is turned. Door must be manually re-locked.
2. Auto-lock: Door re-locks itself as soon as it is closed.

Door Handing

All YA Series levers are field-reversible. Refer to the diagram to determine the correct door handing and ensure proper cylinder orientation in keyed functions.





CONCORDE

CONCORDE



IPMUDA's Architectural Ironmongery solutions are one of the most comprehensive in the market. Its Total Solutions Supply includes grand/master key, construction key, sliding/folding systems, decorative handles and a wide range of other complementary products that works together as a complete solution.

IPMUDA Buildermart Sdn Bhd (94576-T) **- Domestic & International Building Solutions**
IPMUDA Edar Sdn Bhd (100829-X) **- Lubricants**

IPMUDA
BERHAD
(Co. No.22146-T)

9th Floor, Maju Tower, No. 1001,
Jalan Sultan Ismail, 50250 Kuala Lumpur
T : 03 - 2719 2828
F : 03 - 2719 2818 I 03 - 2719 2868
E : hq@ipmuda.com.my
www.ipmuda.com.my

Please note: While every effort is made to ensure that the details in this brochure were correct at the time of printing,
IPMUDA reserves the right to alter specifications or product from that shown.

May 2019

IPMUDA BERHAD
FOR A SUSTAINABLE FUTURE

PROJECT REFERENCE : AL/0320/AK/21-I

PROJECT TITLE:

CADANGAN PEMBINAAN PROJEK BALAI BOMBA & KUARTERS PUTATAN DI ATAS SEBAHAGIAN LOT N.T 213059771, JALAN SAILAN IMBAAN PUTATAN, DAERAH PUTATAN, SABAH.

ARCHITECTURAL HARDWARE PRODUCTS PROPOSAL CONSISTING OF RELEVANT CATALOGUES & CERTIFICATES (ANALIZA S.SIRIL – AUG. 2021)



IPMUDA BERHAD (22146-T)
Level 9, Maju Tower, 1001 Jalan Sultan Ismail, 50250 Kuala Lumpur
Phone: 603 2719 2828 | Fax: 603 2719 2818

www.ipmuda.com.my

CONCORDE

PRODUCT WARRANTY INFORMATION

CONCORDE products are backed by one of the most comprehensive warranty programs. You can feel confident that with the purchase of CONCORDE you have selected the best quality product, backed by the best customer service available.

FULL 2 YEARS MECHANICAL WARRANTY
1 YEAR FINISH WARRANTY

This product is warranted to be free from finish defects for 1 years and free from mechanical and workmanship defects for 2 years after the original purchase. If a finish or mechanical defect occurs, call 03-7957 1868 in Malaysia or return the product to Bangunan Ipmuda, No.1 Jalan 13/1, 46200, Petaling Jaya, Selangor, Malaysia, and we will either replace it or repair it. If finish deterioration occurring from the use of paints, solvents or other chemicals is not a defect in the finish and is not covered by this warranty. CONCORDE is not liable for incidental or consequential damages.

IPMUDA ARCHITECTURAL PRODUCTS SDN. BHD.
(CO.REG.:72447-T) (COMPANY GST REG.NO: 002112847872)
BANGUNAN IPMUDA,
NO. 1 JALAN 13/1, 46200 PETALING JAYA, SELANGOR
Tel : 03 – 7957 1868 Fax : 03 – 7957 2868
e-mail : arch_pro@ipmuda.com.my

No Lesen : **PC002339**
Licence No :

LESEN PENSIJILAN BARANGAN
Product Certification Licence

SIRIM

SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

IPMUDA ARCHITECTURAL PRODUCTS SDN.BHD.
9th FLOOR, MAJU TOWER
1001, JALAN SULTAN ISMAIL
50250 KUALA LUMPUR
WILAYAH PERSEKUTUAN, MALAYSIA

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

MORTISE LOCK

Please refer to detail in the SCHEDULE

sebagai mematuhi keperluan
as complying with

BS EN 12209 : 2003

Nur Fadhilah binti Muhammad
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 410334-X)
1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 60-3-55446400
Faks : 60-3-55446466
http://www.sirim.my
http://www.malaysian-certified.my

Tarikh Mula Pensijilan	**: 27 May 2016**	**Tarikh Dikeluarkan**	**: 16 March 2021**
Certified Since		*Issue Date*	
Sah Sehingga	**: 16 February 2022**	**No Siri**	: 049691
Valid Until		*Serial No*	

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

No Lesen : **PC002623**
Licence No :

LESEN PENSIJILAN BARANGAN
Product Certification Licence

SIRIM

SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

IPMUDA ARCHITECTURAL PRODUCTS SDN.BHD.
9th FLOOR, MAJU TOWER
1001, JALAN SULTAN ISMAIL
50250 KUALA LUMPUR
WILAYAH PERSEKUTUAN, MALAYSIA

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

BORED DOORLOCK

Please refer to detail in the SCHEDULE

sebagai mematuhi keperluan
as complying with

ANSI/BHMA A 156.2 : 2011


Nur Fadhilah binti Muhammad
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 410334-X)
1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 60-3-55446400
Faks : 60-3-55446466
http://www.sirim.my
http://www.malaysian-certified.my

Tarikh Mula Pensijilan	**: 18 November 2016**	**Tarikh Dikeluarkan**	**: 16 March 2021**
Certified Since		*Issue Date*	
Sah Sehingga	**: 16 February 2022**	**No Siri**	: 045234
Valid Until		*Serial No*	

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.




CONCORDE

102MM X 76MM X 2.0MM SUS 304 STAINLESS STEEL HINGES (4" x 3" x 2.0MM SUS 304 STAINLESS STEEL HINGES)

SPECIFICATIONS:

- In Stainless Steel SUS 304 Material/Satin Finishes
- 4" Hinge **WITHOUT** ball bearing
- Usually applied to doors that are of medium-lightweight to medium-heavyweight doors & medium to heavy usage.
- Strictly applicable to only Non-Fire Rated doors, medium-lightweight & plywood doors.
- Recommended 3 to 4 nos per door/leaf depending on the door height, usually 3 nos for 2100mm x 900mm standard height & length, anything more than that requires 4 nos per door/leaf

H1




CONCORDE

102MM X 76MM X 2.0MM 2BB STAINLESS STEEL HINGES 304 SS (4" x 3" X 2.0MM 2BB STAINLESS STEEL HINGES 304 SS)

SPECIFICATIONS:

- In Stainless Steel SUS 304 Material/Finishes
- 4" Hinge WITH 2 ball bearing
- Usually applied to doors that are of medium-lightweight to medium-heavyweight doors & medium to heavy usage.
- Strictly applicable to only Non-Fire Rated doors, medium-lightweight & plywood doors.
- Recommended 3 to 4 nos per door/leaf depending on the door height, usually 3 nos for 2100mm x 900mm standard height & length, anything more than that requires 4 nos per door/leaf

H2



CONCORDE

127MM X 89MM X 2.5MM SUS 304 STAINLESS STEEL HINGES (5" x 3.5" x 2.5MM SUS 304 STAINLESS STEEL HINGES)

SPECIFICATIONS:

- In Stainless Steel SUS 304 Material/Satin Finishes
- 5" Hinge **WITHOUT** ball bearing
- Usually applied to doors that are of medium-lightweight to medium-heavyweight doors & medium to heavy usage.
- Strictly applicable to only Non-Fire Rated doors, medium-lightweight & plywood doors.
- Recommended 3 to 4 nos per door/leaf depending on the door height, usually 3 nos for 2100mm x 900mm standard height & length, anything more than that requires 4 nos per door/leaf

H3

IPMUDA BERHAD
FOR A SUSTAINABLE FUTURE

C770 series

Rack & Pinion Door Closer with Standard Arm



LISTED

Product Features:

- Selectable position power size 2~4
- Adjustable closing & latching speed
- Adjustable back check (optional upon request)
- Thermo-constant valve
- Surface mount
- Rack & Pinion
- Standard arm
- Built in hold-open (optional upon request)
- Single-action door
- Non-handed installation

Power size	2	3	4
Max Door width (Inches (mm)	34-1/4 (870)	37-12/32 (950)	43-5/16 (1100)
Max. Opening Angle	160	160	145


Application Ranges:


- Standard door mount on pull side
- Transom mount on push side
- Parallel bracket mount on size 2~3

Finishes:

- Painted – silver, brown, gold, black, white & other RAL colors upon request & discussion
- Plating (for cover only) -US finish code colors upon request & discussion

Dimensions:





DC1

IPMUDA BERHAD (22146-T)
Level 9, Maju Tower, 1001 Jalan Sultan Ismail, 50250 Kuala Lumpur
Phone: 603 2719 2828 | Fax: 603 2719 2818

www.ipmuda.com.my

CONCORDE

DOOR SELECTOR (MODEL : PO6001.DS001)

SPECIFICATIONS:

FUNCTION OF THE CLOSING ORDER REGULATOR IN THE EVENT OF FIRE

When the emergency exit consists of double swinging doors, the fuses on the both sides will blow and the door closer will operate to close the door. However, there is a set order in which the two doors must close and it is a set order in which the two doors must close and it is the closing order regulator which regulates this order. In the case of fire breaking out, even if the door which should close afterwards, begins to close first, it will be held back by the regulator until the other door has closed. Then, the lever of the regulator will disengage, permitting the remaining door to close, and thus the function of the fire door will be completely fulfilled.

APPLICATION

When the door which should close first starts to close in second position, the meeting plates on the head of the door will move ahead while pushing down the sides of the lever, and in response, the hold on the door to close in second position will be released and this door will follow in the wake of this first door, embracing the lever as it closes. Thus, even when the closing order is initially reversed, the closing order regulator will ensure that closing of the doors takes place in the fixed order.

CONCORDE PO6001.DS-001 INSTALLATION

*When the ceiling forms the top jamb, or when there is very little space between the head casing of the door and the ceiling.
*When the wall enclosing the shutter box to hold the door is thin and there is not enough space to allow functioning of the short lever of Model A.

1.Adjust the center of the lever supporting shaft to the center of the fine adjustment dimension determined on measuring the meeting point gap when the doubles swinging doors have been closed. (Usually 4-6mm)


2.To attach the fixing plate to the bottom of the door rebate (with a min. width of 25mm), set the front edge of the fixing plate to meet that of the door rebate. Then, weld on firmly a back plate approx. 200mm long and at least 4.5mm thick, centering it inside the door rebate.

APPLICABLE DIMENSIONS

TYPE	/	MAX.DOOR DIMENSION
Center Hung	/	D.W. 2100mm
Offset Hung	/	D.W. 1300mm



DC2



CONCORDE **ME72 MORTISE SASHLOCK 60MM**

SPECIFICATION:

- Finish: Satin Stainless Steel (SSS); (Code: US32D)
- Backset – 60mm ; Center to center – 72mm
- Latchbolt – 12mm latchbolt protrusion, change handed without opening case. **Latchbolt made of stainless steel**.
- Deadbolt – 20mm throw on a single turn of key or thumbturn. **Deadbolt made of stainless steel**.
- Forend-Square in Stain Stainless Steel finish. **Forend made of stainless steel**.
- To be fit in with a European Profile Cylinder in either Thumbturn or Double Cylinder Type.

FUNCTION:

- Entrance, latchbolt retracted by lever handles from both sides.
- Deadbolt is operated by key outside and by key or thumbturn inside depending on the cylinder selected.
- The cylinder to latch function enables the cylinder to withdraw the deadbolt on the first turn and the latchbolt on the second turn.

L1




CONCORDE

8606 – EN – SN SATIN NICKEL ENTRANCE FUNCTION LEVERSET

SPECIFICATIONS:

- In Satin Nickel Finishes US15
- Handing: Completely Reversible
- Backset: Adjustable Latch
- Standard Keying: Supplied individually keyed 5 pin with 3 keys per lock.
- Special Keying: Can be keyed alike, master keyed, grand master keyed or construction keyed.
- Tubular Lock type

Function Operation: Latch is operated by both levers except when inside thumb turn is activated to lock outside Levers. The Key opens (unlocks thumb turn) & unlocks both levers



L2

IPMUDA BERHAD
FOR A SUSTAINABLE FUTURE



CONCORDE

7007 SERIES SATIN STAINLESS STEEL CYLINDRICAL DOOR LOCK

SPECIFICATIONS FOR CONCORDE CYLINDRICAL DOOR LOCKS:

- Door Thickness Range: Standard 32mm to 45mm
- Backset: 60mm or 70mm
- Cylinder: 5 pin tumbler
- Latch Bolt: Zinc Die Cast Alloy, Nickel Chrome Plated
- Finishing: Satin Stainless Steel
- Keying System: Can be Keyed Alike, Master Keyed, Grand Master Keyed & Construction Keyed

7007E SATIN STAINLESS STEEL CYLINDRICAL ENTRANCE DOOR LOCK



- Entrance
- Bedroom
- Office

Pushing button inside locks outside knob. Operating key outside or turning inside knob releases locked outside knob. Inside knob is always active

7007B SATIN STAINLESS STEEL CYLINDRICAL PRIVACY DOOR LOCK



- Bathroom or Toilet

Pushing button inside locks outside knob. A coin or a flat narrow tool inserted and turned in emergency slot unlocks door from outside. Inside knob is always active

7007P SATIN STAINLESS STEEL CYLINDRICAL PASSAGE DOOR LOCK



- Passage or Closet lock

Knob from either side operates latchbolt at all times. For doors that do not require locking

L3/L4/L5

IPMUDA BERHAD (22146-T)
Level 9, Maju Tower, 1001 Jalan Sultan Ismail, 50250 Kuala Lumpur
Phone: 603 2719 2828 | Fax: 603 2719 2818

www.ipmuda.com.my



CONCORDE

KT65/KT70 BRASS EURO PROFILE KEY THUMBTURN CYLINDER

SPECIFICATION:

- Available 5pin or 6 pin
- Type Key - Thumb turn cylinder in Satin Nickel Plated
- Length: 65mm or 70mm
- Comes with 3 nos of Individual Key

IPMUDA BERHAD (22146-T)
Level 9, Maju Tower, 1001 Jalan Sultan Ismail, 50250 Kuala Lumpur
Phone: 603 2719 2828 | Fax: 603 2719 2818

www.ipmuda.com.my



CONCORDE **KB65/KB70 BRASS EURO PROFILE PRIVACY CYLINDER**

SPECIFICATION:

- Type Coin Slot Thumb turn cylinder in Satin Nickel Plated
- Length: 65mm or 70mm
- Without Key

IPMUDA BERHAD (22146-T)
Level 9, Maju Tower, 1001 Jalan Sultan Ismail, 50250 Kuala Lumpur
Phone: 603 2719 2828 | Fax: 603 2719 2818

www.ipmuda.com.my

CONCORDE

B11 SERIES TUBE LEVER HANDLE ON ROSE





HDL1

IPMUDA BERHAD (22146-T)
Level 9, Maju Tower, 1001 Jalan Sultan Ismail, 50250 Kuala Lumpur
Phone: 603 2719 2828 | Fax: 603 2719 2818

www.ipmuda.com.my



CONCORDE **BM-T 200MM X 19MM PULL HANDLE**

SPECIFICATIONS

- Materials are of : STAINLESS STEEL
- Finish: Mirror Finish

HDL2

IPMUDA BERHAD (22146-T)
Level 9, Maju Tower, 1001 Jalan Sultan Ismail, 50250 Kuala Lumpur
Phone: 603 2719 2828 | Fax: 603 2719 2818

www.ipmuda.com.my



REBATED PART TO SUIT MORTISE LOCK IN STAINLESS STEEL

RP1

IPMUDA BERHAD (22146-T)
Level 9, Maju Tower, 1001 Jalan Sultan Ismail, 50250 Kuala Lumpur
Phone: 603 2719 2828 | Fax: 603 2719 2818

www.ipmuda.com.my



REBATED PART TO SUIT CYLINDRICAL LOCK - PVC

SPECIFICATIONS:

- Made of PVC Material & SS Metal
- For Double Leaf Door
- For both Cylindrical/Tubular Lock & Handle set

RP2

IPMUDA BERHAD (22146-T)
Level 9, Maju Tower, 1001 Jalan Sultan Ismail, 50250 Kuala Lumpur
Phone: 603 2719 2828 | Fax: 603 2719 2818

www.ipmuda.com.my



CONCORDE

H01-003 STAINLESS STEEL FLUSH BOLT

SIZE AVAILBLE :


150MM (6")
200MM (8")
250MM (10")
300MM (12")

WIDTH: 20MM & THICKNESS: 2.0MM

SPECIFICATION:

- Stainless Steel Finish
- Toggle Action Bolt Throw: Flush Mounted Bolts Incorporating A Toggle Action To Throw Or Withdraw the Bolt
- Applicable to Double Leaf - Non-Fire Rated Timber Doors
- May be applicable to Fire Rated Doors too.

A1/A2



CONCORDE **DUST SOCKET-BRASS-SN**

SPECIFICATIONS:

- Made of Solid Brass in Either Satin Nickel or Polished Brass
- Applicable to Double Leaf Doors, which helps collect dust
- Sizes 35mm x 45mm x 20mm
- Also available, Removable Type with Sizes of 35mm x 45mm x 20mm in either Satin
- Nickel & Polished Brass

A3




CONCORDE

F01-022 DOME SHAPE FLOOR MOUNTED DOOR STOP

SPECIFCIATIONS:

- In Nickel Plated/Satin Nickel Finish with Black or Grey Rubber Bumper
- Mounted to the Wall or Door With Black bumper, helps to prevent damage to the lock, door & wall if the door & door frame fixed too closed to the wall (narrow gap). Also helps to preserves the finishes of the Locks & Doors.

A4



CONCORDE

F02-003 WALL DOOR STOPPER WITH BLACK BUMPER

SPECIFCIATIONS:

- Manufactured from high quality steel - SUS 304, Stainless Steel
- Mounted to the Wall or Door With Black bumper, helps to prevent damage to the lock, door & wall if the door & door frame fixed too closed to the wall (narrow gap). Also helps to preserves the finishes of the Locks & Doors.

A5




CONCORDE **333 HAT & COAT HOOK SS SUS 304**

SPECIFCIATIONS:

- Manufactured from high quality steel - SUS 304, Stainless Steel
- Hat & Coat Hook Function for Hanging Towels/Clothes
- Mounted to the Wall or Door With white bumper, helps to prevent damage to the lock, door & wall if the door & door frame fixed too closed to the wall (narrow gap). Also helps to preserves the finishes of the Locks & Doors.

A6




CONCORDE **P3004 STAINLESS STEEL LAVATORY INDICATOR BOLT**

SPECIFCIATIONS:

- Stainless Steel Finish/Material
- Front Face of Indicator Bolt: 60mm (H) x 40mm (W)
- Outside: Blue Indicator for UNOCCUPIED while Red Indicator for OCCUPIED.
- Applied to Cubicle Toilets as well as Low to Medium cost Project, be it Residential or Commercial

A7



CONCORDE **300MM X 100MM X 1.2MM STAINLESS STEEL PUSH PLATE**

SPECIFICATIONS:

- Material & Finishes in Stainless Steel

OTHER SIZES AVAILABLE ONLY UPON REQUEST:

- Other length to be indicated by Architect.

A8

IPMUDA BERHAD (22146-T)
Level 9, Maju Tower, 1001 Jalan Sultan Ismail, 50250 Kuala Lumpur
Phone: 603 2719 2828 | Fax: 603 2719 2818

www.ipmuda.com.my