





KEYline®

d key to your security




















CONTENT

CONTENT

CONTENT	PAGE
Introduction	01
3200 Series Cylindrical Lockset / Deadbolt	02
3800 Series Cylindrical Lockset	03
Key In Leverset	04
SLD & SLDT Series Lever Handle	05
SLW & SLWT Series Lever Handle	06
8000 Series Mortise Lockset	07
8900 Series Mortise Lockset	08
Panic Exit Device	09
DC 1300 Series Door Closer	10
DC 1500 Series Door Closer	11 - 12
DC 380 & 385 Series Concealed Door Closer	13
Hinges & Hardware Accessories	14
Hardware Accessories	15
ECO Hardware / ECO - Mortise Lock GBS 31 Series	16
ECO Stainless Steel Handles	17
ECO Door Closer	18
ECO Sliding Door System	19
Onity Electronic Locking Systems	20
6600 Series Electronic Hotel Lock	21
RR Brink Detention Locks	22
Bestko Connecting Glass Systems 1	23
Bestko Connecting Glass Systems 2	24
Bestko Stainless Steel Glass Locks Series	25

INTRODUCTION

KEYline Consulting Sdn Bhd, is a locally incorporated company specializes in supplying architectural hardware and security solutions for door and window applications including multilevel master keying system.

Our range of architectural hardware comprises imported DIN standard mortise locking system, stainless steel and nylon furnitures, and special door hinges system from Germany and sliding door gear systems from Finland.

KEYline's personnel and staff has more than 20 years experience in the door hardware industry offering special services ranging from computerized door hardware schedule, installation, technical services to master keying requirement to its customers.

PROJECTS













KEYline®

ECO

RR BRINK

Onity
'innovative thinking'
TESA Entry Systems

helaform


PEMKO

Digi®

BESTKO®

3200 SERIES CYLINDRICAL LOCKSET





SIRIM






RP01
Rebated part to suit cylindrical lock

SPECIFICATIONS

MECHANISM
Heavy gauge cold rolled steel, zinc plated and dichromated for rust resistance.

MATERIAL
Roses are stainless steel, installed over wrought steel mounting plates. Knobs are stainless steel secured by steel knob retainers which cannot be depressed when the lock has been locked. Latch bolt and Front Plate are steel.

HANDING	: Completely Reversible
DOOR THICKNESS	: 35mm to 50mm
BACKSET	: 60 / 70mm standard
CYLINDER	: 5 pin mechanism
STANDARD	: Equivalent ANSI Grade 3
FINISHES	: Satin Stainless Steel (SSS), other finishes available upon request

FUNCTION	CAT. NO	OPERATIONS
Entrance	 3201 SS	Latch is operated by both knobs except when inside button is activated to lock outside knob. The key unlocks push button and unlocks both knobs.
Privacy / Bathroom	 3202 SS	By both knob. Push bottom in side knob locks outside knob. Turning inside knob or closing door releases button. Emergency opening from outside by screwdriver or similar objects.
Passage	 3203 SS	Opened by either knob at all times.

DEADBOLT SINGLE CYLINDER	DEADBOLT SINGLE SIDED	DEADBOLT DOUBLE CYLINDER
 D7106 SS60 Satin Stainless Steel	 D7105 AB60 Antique Brass	 D7107 AC60 Antique Copper